

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director
Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-22422

Stream : Turkey Creek

Applicant : Lake County Parks and Recreation
Craig Zandstra
Assistant Superintendent
8411 East Lincoln Highway
Crown Point, IN 46307-8825

Description : A new bridge will be constructed over Turkey Creek to carry golf carts and pedestrian traffic across the stream. The new structure will be a single-span steel framed bridge with a wood deck. The structure will have an out-to-out length of 80 feet and a clear roadway width of 6.5 feet. An existing bridge (golf cart bridge # 4) will be removed. The proposed project also includes the excavation of a one acre irrigation pond along the left overbank of Turkey Creek and construction of the 17th hole fairway bluff. Significant construction has begun on the irrigation pond and 17th hole fairway bluff. The irrigation pond ranges in depth from an emergent plant shelf to a maximum depth of 15 feet. The bluff covers a 150 foot by 80 foot area with an average height of 2 feet. The fill gradually slopes at a 10:1 slope back to grade. Excess material has been transported off site. There are also 10 existing golf cart bridges along Turkey Creek that were constructed prior to this construction project. The golf cart bridges have various lengths and widths. Fill was added to some of the existing bridges while being constructed. Details of the project are contained in information and plans received at the Division of Water on June 20, 2003.

Location : Beginning at the upstream side of the Grand Trunk Western railroad crossing over Turkey Creek and continuing upstream for approximately 7000'
DOWNSTREAM: near Merrillville, Ross Township, Lake County
SE¼, SE¼, NW¼, Section 9, T 35N, R 8W, Gary Quadrangle
Quad Code: 4108753
UTM Coordinates: Downstream 4594303 North, 471131 East
UPSTREAM:
UTM Coordinates: Upstream 4593914 North, 469348 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-22431

Stream : Wildcat Creek

Applicant : Dariol Stephens
7057 East 1400 South
Galveston, IN 46932

Description : A one acre pond will be constructed. All material will be removed from the floodway. Details of the project are contained in information and plans received at the Division of Water on June 26, 2003.

Location : Approximately 400' south of the Old Sycamore Road and County Road 440 West intersection
DOWNSTREAM: near Galveston, Clay Township, Howard County
SW¼, NE¼, SE¼, Section 32, T 24N, R 3E, Kokomo West Quadrangle
Quad Code: 4008642
UTM Coordinates: Downstream 4481084 North, 566787 East
UPSTREAM:
UTM Coordinates: Upstream 4481214 North, 566975 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-22440

Stream : Heeter Ditch

Applicant : *Indiana Department of Natural Resources
Dale Gick
Division of Water
402 West Washington Street, Room W264
Indianapolis, IN 46204-2641

Description : An existing deteriorated levee will be removed and replaced by a new 750' long levee, which will extend from the lake's existing control structure on the ditch. The proposed structure will have a crest height of 2' above the legal lake level of 827.75', NGVD29, and a maximum height above land of less than 7'; a crest width of approximately 10' with 3:1 side slopes. The structure's core and base will consist of cellular concrete with side slopes of compacted fill from a borrow pit on the adjacent western property. Approximately 300' of the proposed levee will be constructed in a forested wetland. Approximately 12 to 17 acres of the property will become restored wetland. In addition, a berm will be constructed along the western property line to provide surface water separation for the adjacent property. Details of the project are contained in information and plans received at the Division of Water on June 30, 2003.

Location : Extends approximately 1000' upstream (north) and west of the confluence with Little Chapman Lake
DOWNSTREAM: near Warsaw, Plain Township, Kosciusko County
SW¼, NW¼, SE¼, Section 35, T 33N, R 6E, Leesburg Quadrangle
Quad Code: 4108537
UTM Coordinates: Downstream 4568980 North, 600980 East
UPSTREAM: at Warsaw, Plain Township, Kosciusko County
SW¼, NE¼, SW¼, Section 35, T 33N, R 6E, Leesburg Quadrangle
Quad Code: 4108537
UTM Coordinates: Upstream 4568960 North, 600645 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-22443

Stream : Unnamed Tributary Salt Fork

Applicant : David and Mary Fay
3205 Sneakville Road
Lawrenceburg, IN 47025-8796

Description : A new culvert crossing over an unnamed tributary of Salt Fork has been constructed for service to a private property owner. The new structure has (2) 36" corrugated PCV culvert, not larger than 20' spans. Earth fill was placed over the top to a height not greater than 5'. The side slopes on the upstream and downstream faces do not exceed 2:1. Additional fill was used to fill any voids in and around the culverts and at both ends of the bridge. The entire structure was capped by 4" of asphalt concrete placed on top. Details of the project are contained in information and plans received at the Division of Water on July 1, 2003.

Location : Approximately 2,750' upstream of the confluence of Salt Fork
DOWNSTREAM: near Logan, Miller Township, Dearborn County
SW¼, SW¼, SE¼, Section 33, T 7N, R 1W, Guilford Quadrangle
Quad Code: 3908428
UTM Coordinates: Downstream 4343410 North, 683115 East
UPSTREAM: Dearborn County

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-22444

Stream : Unnamed Tributary Salt Fork

Applicant : Ricky Bishop
24124 Sneakville Road
Lawrenceburg, IN 47025

Description : A new culvert crossing over an unnamed tributary of Salt Fork has been constructed for service to a private property owner. The new structure has (3) 48" corrugated PCV culvert, not larger than 20' spans. 12" of rock was placed over the culverts. Additional rock was used to fill any voids in and around the culverts and at both ends of the bridge. A mortar face will be placed over the outside of the rock, on both the upstream and downstream faces. The entire structure was capped by 5" of poured concrete placed on top. Details of the project are contained in information and plans received at the Division of Water on July 1, 2003.

Location : Approximately 1,550' upstream of the confluence of Salt Fork near Logan, Logan Township, Dearborn County
NE¼, SW¼, SE¼, Section 33, T 7N, R 1W, Guilford Quadrangle
Quad Code: 3908428
UTM Coordinates: Downstream 4343200 North, 682825 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-22447

Stream : West Fork Tanners Creek

Applicant : Bill & Helen Carr
7779 Bonnell Road
Guilford, IN 47022-9604

Description : Within an 1800' section of the stream, approximately 37,800 cubic feet of material will be excavated from four gravel bars. Also a sediment dam will be constructed at the downstream end of the project. The excavated material will be placed in a upland site out of the flood plain. Details of the project are contained in information and plans received at the Division of Water on July 2, 2003.

Location : Along the right and left stream banks, beginning approximately 1100' upstream of the New York Central Railroad crossing over the stream and continuing upstream for an additional 1800'
DOWNSTREAM: at Guilford, York Township, Dearborn County
NE $\frac{1}{4}$, SE $\frac{1}{4}$, SW $\frac{1}{4}$, Section 23, T 6N, R 2W, Guilford Quadrangle
Quad Code: 3908428
UTM Coordinates: Downstream 4336688 North, 675868 East
UPSTREAM: at Guilford, York Township, Dearborn County
NE $\frac{1}{4}$, SW $\frac{1}{4}$, SW $\frac{1}{4}$, Section 22, T 6N, R 2W, Guilford Quadrangle
Quad Code: 3908428
UTM Coordinates: Upstream 4336769 North, 676274 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-22450

Lake : J C Murphey Lake

Applicant : Willow Slough Fish & Wildlife Area
David Spitznagle
2042 South 500 West
Morocco, IN 47963-8048

Description : Sediment will be removed from approximately 7 miles of existing ditches throughout the lake, all tying into Riner Houseworth Ditch, in order to drain the lake to restore its productivity. The sediment will be removed using excavators, bulldozers, and dragline from one side of the ditches. The spoil material will be spread evenly on one of the ditch's banks, at a maximum distance from the channel. The spoil banks will be reseeded to control erosion and inundated with 2'-5' of water at normal pool elevation. Details of the project are contained in information and plans received at the Division of Water on July 2, 2003.

Location : Willow Slough Fish & Wildlife Area; approximately 2000' east of the Indiana/Illinois state line
DOWNSTREAM: near Morocco, Beaver Township, Newton County
SE¼, NE¼, SW¼, Section 12, T 29N, R 10W, Donovan, IL-In Quadrangle
Quad Code: 4008785
UTM Coordinates: Downstream 4535800 North, 456360 East
UPSTREAM: SE¼, NE¼, SE¼, Section 6

UTM Coordinates: Upstream 4537450 North, 459790 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-22451

Stream : Fall Creek

Applicant : Indianapolis Power & Light
AD Brown
1230 West Morris Street
Indianapolis, IN 46221-1744

Description : Approximately 1800' of a 4" diameter pipe was placed 3' beneath the overbank. In addition, two 3' x 5' pullboxes and two transformers were installed. Details of the project are contained in information and plans received at the Division of Water on July 3, 2003.

Location : Along the left (south) overbank, beginning at the confluence with West Fork White River and continuing upstream (east) for approximately 1800' at Indianapolis, Center Township, Marion County
NW¼, NE¼, NE¼, Section 3, T 15N, R 3E, Indianapolis West Quadrangle
Quad Code: 3908672
UTM Coordinates: Downstream 4403475 North, 570060 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : FW-22453

Stream : Unnamed Tributary Salt Fork

Applicant : Ronnie R and Anna J Bishop
24044 Bishop Lane
Lawrenceburg, IN 47025

Description : A new bridge over an Unnamed Tributary to Salt Fork has been constructed for service to a private property owner. The new structure is 24' in length and 12' wide with a concrete deck, 6" thick and is supported by 4 steel I-beams (14"). The steel I-beams are supported on either side by 12' wingwalls. The approach road is elevated a maximum of 2'. Details of the project are contained in information and plans received at the Division of Water on July 7, 2003.

Location : Approximately 1,450' upstream of the confluence of Salt Fork
DOWNSTREAM: near Logan, Logan Township, Dearborn County
SE¼, SW¼, SE¼, Section 33, T 7N, R 1W, Guilford Quadrangle
Quad Code: 3908428
UTM Coordinates: Downstream 4342195 North, 682795 East
UPSTREAM: Dearborn County

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-22456

Stream : Clear Creek

Applicant : Monroe County Highway Department
William E Williamson
Courthouse, Room 323
Bloomington, IN 47404-5146

Description : The existing 2 span steel beam bridge carrying Gore Road over Clear Creek will be relocated approximately 30' downstream and replaced with a 2 span continuous composite steel beam bridge. The project will consist of a new roadway asphalt approaches to the north and south eliminating the dangerous existing gravel road. The structure will be 169' in length, skewed 25 degrees to the right, and have a 24' clear roadway across the bridge. The existing structure will be completely removed. (Monroe County Bridge #100). Details of the project are contained in information and plans received at the Division of Water on July 9, 2003.

Location : Beginning approximately 30' downstream of the Gore Road stream crossing and continuing downstream for 185'
DOWNSTREAM: near Harrodsburg, Clear Creek Township, Monroe County
SW¼, NW¼, NE¼, Section 29, T 7N, R 1W, Clear Creek Quadrangle
Quad Code: 3908615
UTM Coordinates: Downstream 4318710 North, 539580 East
UPSTREAM:
UTM Coordinates: Upstream 4318745 North, 539528 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-22457

Stream : West Fork White River

Applicant : City of Carmel
Morris Hensley
One Civic Square
Carmel, IN 46032-2584

Description : A 12' diameter well house will be constructed in the floodway. An approximately 240' long, 15' wide access drive will be constructed at existing grade to access the well house. In addition, approximately 240' of an 18" raw water pipe will be placed to connect to the well house. Details of the project are contained in information and plans received at the Division of Water on July 9, 2003.

Location : Along the right (west) overbank, approximately 500' upstream (northeast) of the confluence with Blue Woods Creek
near Carmel, Clay Township, Hamilton County
NW¼, NE¼, NE¼, Section 9, T 17N, R 4E, Fishers Quadrangle
Quad Code: 3908681
UTM Coordinates: Downstream 4421405 North, 579150 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : FW-22478

Stream : Flaugh Ditch

Applicant : Lancor Development
Brian Meeks
5620 Coventry Lane
Fort Wayne, IN 46804-7140

Description : A temporary low water crossing will be constructed of riprap. All material will be removed from the floodway upon completion of the project. Details of the project are contained in information and plans received at the Division of Water on July 21, 2003.

Location : Approximately 100' downstream (south) of the Jefferson Boulevard ditch crossing near Fort Wayne, Wayne Township, Allen County
NE¼, SW¼, NW¼, Section 18, T 30N, R 12E, Fort Wayne West Quadrangle
Quad Code: 4108512
UTM Coordinates: Downstream 4546175 North, 649425 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : NW-31

Stream : St. Joseph River

Applicant : BayRidge Homeowner's Association
Duane Peterson
3343 Bridgetown Road
Bristol, IN 46507-8765

Description : Accumulated silt will be dredged from an existing channel to improve navigation on the river. A hydraulic dredge will perform the dredging. The excavated material will be transported to an existing island in the floodway, where it will be spread evenly to a maximum depth of 6". Details of the project are contained in information and plans received at the Division of Water on May 12, 2003 and June 24, 2003.

Location : Along the south bank in the Bay Ridge channel, approximately 750' to 1000' north of State Road 120
near Bristol, Washington Township, Elkhart County
NW¼, SE¼, SW¼, Section 28, T 38N, R 6E, Bristol Quadrangle
Quad Code: 4108567
UTM Coordinates: Downstream 4618800 North, 596000 East

Statute/Rule : Navigable Waterway Act, IC 14-29-1, with the associated Navigable Waterway Rule, 312 IAC 6

Application # : PL-19573

Lake : Tippecanoe Lake

Applicant : Bud and Jacqueline Vanscoik
2906 East Armstrong Road
Leesburg, IN 46538-8825

Description : An concrete seawall will be refaced with a layer of concrete across 30' of the applicant's property. The reface will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on June 19, 2003 and June 24, 2003

Location : 2906 East Armstrong Road
near Oswego, Tippecanoe Township, Kosciusko County
NE¼, NE¼, NE¼, Section 14, T 33N, R 6E, Leesburg Quadrangle
Quad Code: 4108537
UTM Coordinates: Downstream 4574798 North, 601399 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-19577

Lake : Snow Lake

Applicant : David Wiggins
295 Lane 850 Snow Lake
Fremont, IN 46737-8744

Description : Approximately 66' x 20' of the lake will be dredged to a maximum depth of 4' below the legal level. The dredging will be performed by a hydraulic dredge. The excavated material will be transported to an upland detention area where it will be dewatered before being transported to an offsite disposal area. In addition, a concrete seawall will be constructed across 66' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on June 23, 2003.

Location : 295 Lane 850; Lakeview Addition, Lots 9 & 10
near Fremont, Jamestown Township, Steuben County
NW¼, NW¼, NW¼, Section 27, T 38N, R 13E, Angola West Quadrangle
Quad Code: 4108561
UTM Coordinates: Downstream 4621615 North, 664075 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-19583

Lake : Hamilton Lake

Applicant : Judy L Bireley
6104 Millhollow Lane
Fort Wayne, IN 46815-6234

Description : A 44' steel sheet piling reface will be keyed to the lakeward face of the existing 44' sheet piling seawall. The reface will not extend more than six (6) inches lakeward of the existing seawall. Details of the project are contained in information and plans received at the Division of Water on June 25, 2003.

Location : 1220 Lane 120, Lot 106
near Hamilton, Otsego Township, Steuben County
NW¼, SE¼, NE¼, Section 33, T 36N, R 14E, Hamilton Quadrangle
Quad Code: 4108458
UTM Coordinates: Downstream 4602070 North, 674477 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-19584

Lake : Webster Lake

Applicant : James L Troutman
PO Box 715
Lapel, IN 46051-0715

Description : A concrete seawall will be constructed across 57' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. The existing railroad tie seawall will be completely removed. Details of the project are contained in information and plans received at the Division of Water on June 26, 2003.

Location : 94 EMS W 29B Lane; Point Yellow Banks, Lots 17 & 18
near North Webster, Tippecanoe Township, Kosciusko County
NE¼, NW¼, NE¼, Section 14, T 33N, R 7E, North Webster Quadrangle
Quad Code: 4108536
UTM Coordinates: Downstream 4575153 North, 610715 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-19586

Lake : Lake Maxinkuckee

Applicant : Timothy D Lynch
4207 Hobson Court
Fort Wayne, IN 46815-8648

Description : A concrete seawall will be refaced with a layer of concrete across 70' of the applicant's 70' frontage. The refacing will be keyed to the walls lakeward face. Details of the project are contained in information and plans received at the Division of Water on June 30, 2003.

Location : South Street
near Culver, Union Township, Marshall County
NE¼, NW¼, SW¼, Section 21, T 32N, R 10E, Culver Quadrangle
Quad Code: 4108624
UTM Coordinates: Downstream 4561782 North, 548623 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-19587

Lake : South Mud Lake

Applicant : Al Waltenberger
2707 South Knoll Drive
Macy, IN 46951-8520

Description : A concrete seawall will be refaced across 50' of the applicant's 50' frontage. The refacing will be keyed to the walls lakeward face. Details of the project are contained in information and plans received at the Division of Water on June 30, 2003.

Location : Lot 2, Anton Knoll's 1st addition
near Macy, Liberty Township, Fulton County
SE $\frac{1}{4}$, SW $\frac{1}{4}$, SE $\frac{1}{4}$, Section 16, T 29N, R 3E, Macy Quadrangle
Quad Code: 4008682
UTM Coordinates: Downstream 4533662 North, 567825 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11